



ARES ELECTRIC

height 1462 mm, length 580 mm. Standard White finish (cod. 01).



Technical features:




- electric steel towel warmer radiator
- horizontal elements with round tubes 23 mm diameter
- side manifolds with a 40x30 mm semioval section
- power cable, length 1200 mm, SCHUKO plug
- complete with thermal liquid


Price included:

- 3 white infratube for wall fixing for ARES white and 3 chromed infratube for wall fixing for ARES coloured
- the model with WiFi electronic control, type E, includes the electronics in the same finish as the radiator


Finishes available	Surcharge
Standard White	
Classic finished	
Special finished	
Other RAL colors	

Finishing codes see page 596.

ELECTRIC HEATERS AVAILABLE			WIFI CONTROL *
<p>ELECTRIC HEATING ELEMENT WITH ON/OFF SWITCH (TYPE I)</p>  <p>Electric heating element with built-in ON/OFF switch. Insulation class: I. Protection index: IP54. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.</p>	<p>ELECTRIC HEATING ELEMENT WITH REGULATOR TO CONTROL THE INTERNAL TEMPERATURE OF THE FLUID (TYPE K)</p>  <p>Electric heating element with 4-pole connector with electronic thermostat for regulating the temperature of the internal fluid. Insulation class: I. Protection index: IP44. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.</p>	<p>ELECTRIC HEATING ELEMENT WITH IR ELECTRONIC CONTROL (TYPE H)</p>  <p>Digital electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP44. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.</p> <p>ECO</p>	<p>ELECTRIC HEATING ELEMENT WITH WI-FI ELECTRONIC CONTROL (TYPE E)</p>  <p>Control your radiator remotely using the IRSAP NOW app available from:</p> <p>Available on the  </p> <p>Compatible with the systems:</p> <p>  </p> <p>WiFi electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP24. The electronics are available in the same color finish as the radiator.</p> <p>* Available only for UE and CH.</p> <p>ECO</p> <p>View the online guides at: now.irsap.com</p> 




ARES ELECTRIC WITH SWITCH (I)




Model	Code	Depth	Height	Width	Weight	Electric Power
		P mm	H mm	L mm	Kg	Watt
818 - 15 rails - 2 espaces	EIS050 I 01 IR 01 NNN	30	818	500	9,1	400
1118 - 22 rails - 2 espaces	EIM050 I 01 IR 01 NNN	30	1118	500	12,8	400
	EIM058 I 01 IR 01 NNN	30	1118	580	14,2	700
1462 - 28 rails - 3 espaces	EILO50 I 01 IR 01 NNN	30	1462	500	16,3	700
	EIG050 I 01 IR 01 NNN	30	1720	500	19,4	700
	EIG058 I 01 IR 01 NNN	30	1720	580	21,7	1000

ARES ELECTRIC WITH REGULATOR TO CONTROL THE INTERNAL TEMPERATURE OF THE FLUID (K)




Model	Code	Depth	Height	Width	Weight	Electric Power
		P mm	H mm	L mm	Kg	Watt
818 - 15 rails - 2 espaces	EIS050 K 01 IR 01 NNN	30	818	500	8,9	400
	EIM050 K 01 IR 01 NNN	30	1118	500	12,6	400
	EIM058 K 01 IR 01 NNN	30	1118	580	14,3	700
1462 - 28 rails - 3 espaces	EILO50 K 01 IR 01 NNN	30	1462	500	16,3	700
	EIG050 K 01 IR 01 NNN	30	1720	500	19,4	700
	EIG058 K 01 IR 01 NNN	30	1720	580	21,8	1000

ARES ELECTRIC WITH ELECTRONIC CONTROL (H)



Model	Code	Depth	Height	Width	Weight	Electric Power
		P mm	H mm	L mm	Kg	Watt
818 - 15 rails - 2 espaces	EIS050 H 01 IR 01 NNN	30	818	500	9,6	400
1118 - 22 rails - 2 espaces	EIM050 H 01 IR 01 NNN	30	1118	500	13,2	400
	EIM058 H 01 IR 01 NNN	30	1118	580	14,4	700
1462 - 28 rails - 3 espaces	EILO50 H 01 IR 01 NNN	30	1462	500	16,8	700
	EIG050 H 01 IR 01 NNN	30	1720	500	19,9	700
	EIG058 H 01 IR 01 NNN	30	1720	580	22,0	1000

ARES ELECTRIC WITH WI-FI ELECTRONIC CONTROL (E)



Model	Code	Depth	Height	Width	Weight	Electric Power
		P mm	H mm	L mm	Kg	Watt
818 - 15 rails - 2 espaces	EIS050 E 01 IR 01 NNN	30	818	500	10,3	400
1118 - 22 rails - 2 espaces	EIM050 E 01 IR 01 NNN	30	1118	500	14,5	400
	EIM058 E 01 IR 01 NNN	30	1118	580	14,5	700
1462 - 28 rails - 3 espaces	EILO50 E 01 IR 01 NNN	30	1462	500	18,4	700
	EIG050 E 01 IR 01 NNN	30	1720	500	22,0	700
	EIG058 E 01 IR 01 NNN	30	1720	580	22,0	1000

Key Codes

Standard White colour code - for different colour codes see the colors page

Width: **EIS058 I** | Height: **01** | Packing code: **IR 01 NNN**

Height: **01** | Packing code: **IR 01 NNN**



